



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/830,182	04/22/2004	Andrea F. Gulla	426.008A	7722
47888	7590	06/28/2007		
HEDMAN & COSTIGAN P.C. 1185 AVENUE OF THE AMERICAS NEW YORK, NY 10036				
			EXAMINER HAILEY, PATRICIA L	
			ART UNIT 1755	PAPER NUMBER
			MAIL DATE 06/28/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/830,182	Applicant(s) GULLA ET AL.	
	Examiner Patricia L. Hailey	Art Unit 1755	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on June 11, 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,3,5-7,10,12-22 and 36-48 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 41-44 is/are allowed.
- 6) ☒ Claim(s) 1, 3, 5-7, 10, 12-22, 36-40, and 46-48 is/are rejected.
- 7) ☒ Claim(s) 45 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on June 11, 2007, has been entered.

Applicants' submission includes an amendment, in which claim 41 has been amended. No claims have been canceled or added.

Claims 1, 3, 5-7, 10, 12-22, and 36-48 remain pending in this application.

Claim Rejections - 35 USC § 103

2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

3. ***Claims 1, 3, 5-7, 10, 12, 13, 15-19, and 46-48 are rejected under 35 U.S.C. 103(a) as being unpatentable over Forquy et al. (U. S. Patent No. 5,166,362) in view of Lang et al. (U. S. Patent No. 5,051,389) and Ito et al. (U. S. Patent No. 6,649,300).***

Forquy et al. disclose a catalyst comprising ruthenium sulphide in either bulk or supported form, as well as a mixture of sulphides of ruthenium and at least one other transition metal selected from the group consisting of, inter alia, cobalt, wherein the proportion of metal other than ruthenium in the mixture is "up to 80 by weight". See col.

Art Unit: 1755

2, lines 22-38 of Forquy et al., which, at lines 27-30, also discloses active carbon as an exemplary support.

For the preparation of supported catalysts, the support is impregnated with one or more metal salts (for example, chlorides), followed by direct sulphurization with a mixture of hydrogen and H_2S (2 to 50% by volume, preferably approximately 15%), or with H_2S diluted in an inert gas (for example, nitrogen) at a temperature between 300°C and 700°C. These temperature treatments are preferably carried out in the reactor. See col. 2, lines 52-66 of Forquy et al. (considered to read upon **claims 5, 12, 13, 16, 17, and 47**).

Example 2 of Forquy et al. depicts drying of an exemplary catalyst precursor at temperature between 100°C and 200°C, followed by sulphurization at 400°C for 4 hours. See col. 4, lines 35-39 of Forquy et al. (considered to read upon **claims 15, 18, 19, and 48**).

Because this reference discloses a mixed sulfide supported on carbon, as recited in the instant claims, the catalyst of Forquy et al. would be expected by one of ordinary skill in the art to function as an “electrocatalyst for oxygen reduction”, absent the showing of convincing evidence to the contrary.

Forquy et al. do not explicitly disclose “carbon black” as the support, nor does this reference disclose a surface area for said support.

Lang et al. disclose catalysts prepared by depositing a metal or metal compound onto a preformed carbon support and thereafter converting the metal or metal compound to an oxide or sulfide. Exemplary metals include cobalt and ruthenium;

Art Unit: 1755

suitable carbons include carbon black. See col. 3, lines 3-19 and col. 4, lines 19 and 20 of Lang et al.

Because Forquy et al. and Lang et al. disclose catalyst compositions having similar components, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the teachings of Forquy et al. by substituting carbon black for active carbon, as both carbon black and active carbon are known catalyst supports.

Ito et al. at col. 3, lines 49-65 disclose that conductive carbons (e.g., furnace and acetylene blacks—considered equivalent to “carbon black”) can exhibit a BET surface area of 240 m²/g.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the teachings of Forquy et al. by employing conductive carbons such as that disclosed by Ito et al. and thereby obtain Applicants' invention.

As claims 6 and 12, in their present form, are product-by-process claims (“obtained by...”), it has been held that... “[A]ny difference imparted by the product by process limitations would have been obvious to one having ordinary skill in the art at the time the invention was made because where the examiner has found a substantially similar product as in the applied prior art the burden of proof is shifted to the applicant to establish that their product is patentably distinct, not the examiner to show that the same is a process of making.” In re Brown, 173 U.S.P.Q. 685 and In re Fessmann, 180 U.S.P.Q. 324.

Art Unit: 1755

4. Claims 20-22 and 36-40 are rejected under 35 U.S.C. 103(a) as being unpatentable over “Methanol Tolerant Oxygen Reduction Catalysts Based on Transition Metal Sulfides”, by R. W. Reeve et al., in view of Forquy et al. (U. S. Patent No. 5,166,362), Lang et al. (U. S. Patent No. 5,051,389), and Ito et al. (U. S. Patent No. 6,649,300).

The Reeve et al. article discloses carbon-supported transition metal sulfide electrocatalysts such as $\text{Mo}_x\text{Ru}_y\text{S}_z$. See page 3463 of the article, under the heading “Experimental”.

The article also discloses gas diffusion electrodes prepared by applying catalyzed carbons to Teflonized carbon paper substrates using Nafion (**claims 20-22 and 36-40**). See page 3464 of the Reeve et al. article, the paragraph entitled “Electrode manufacture”.

Forquy et al., Lang et al., and Ito et al. are relied upon for their teachings as stated in the above 103(a) rejection. Although these references teach catalysts reading upon Applicants’ electrocatalyst as recited in claims 1, 5-7, 10, 12, 13, 15-19, and 46-48, these references do not teach or suggest the limitations of claims 20-22 and 36-40.

However, Forquy et al. disclose, in addition to cobalt, molybdenum as an exemplary transition metal suitable for constituting Patentees’ “mixture of sulphides of ruthenium and at least one other transition metal” (col. 2, lines 31-38).

Therefore, because these were art-recognized equivalents at the time the invention was made, one of ordinary skill in the art would have found it obvious to substitute cobalt for molybdenum, given the equivalence between molybdenum and

Art Unit: 1755

cobalt in preparing a catalytic mixture of metal sulfides, as set forth in Forquy et al., and thereby obtain Applicants' claimed invention as recited in claims 20-22 and 36-40.

5. Claims 1, 3, 5-7, 12, 14-19, 47, and 48 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kobylinski et al. (U. S. Patent No. 3,840,389) in view of Forquy et al. (U. S. Patent No. 5,166,362).

Kobylinski et al. disclose catalyst prepared by coating a support (such as refractory oxides, or activated carbon, said support exhibiting a surface area from about 10 m²/g to about 500 m²/g; see paragraph 5) with a metal sulfide selected from the group consisting of (1) the sulfides of ruthenium and/or rhodium and (2) the sulfides of ruthenium and/or rhodium in combination with one or more of the sulfides of platinum, palladium, osmium, or iridium, and the product resulting therefrom. See paragraph 1 of Kobylinski et al. (considered to read upon **claims 5-8**).

The catalysts are prepared by impregnating the support with a solution, aqueous or alcoholic, containing a dissolved salt of the aforementioned metals. Suitable salts include chlorides and nitrates; when an alcoholic solution is employed, any suitable alcohol (e.g., propanol) is satisfactory. Suitable impregnation can be obtained over a period ranging from about 15 minutes to about 6 hours; the temperature of treatment ranges from about 15° to about 95°C. Pressure is not critical (considered to read upon the limitations of **claim 15**) but generally atmospheric pressure will suffice. See paragraph 6 of Kobylinski et al.

Art Unit: 1755

The impregnated support is then treated with H_2S to precipitate the corresponding metal sulfide under conditions similar to those employed for impregnation. The impregnated support may also, if wet with water or alcohol after treatment with H_2S , may be dried at temperatures ranging from about $80^{\circ}C$ to about $180^{\circ}C$. Drying can be effected in air, an inert atmosphere (such as nitrogen or H_2S). Further, the catalyst is preferably subjected to calcinations at temperatures ranging from about $400^{\circ}C$ to about $600^{\circ}C$; as in the drying step, calcination can be effected in air, an inert gas such as nitrogen, or even H_2S . See paragraph 8 of Kobylinski et al. (**claims 11, 14, 16-19, 47, and 48**).

Kobylinski et al. do not explicitly disclose that the catalyst is an "electrocatalyst", or that the support is "conductive". However, because the reference teaches the same components as recited in Applicants' claims as the "electrocatalyst" and the "conductive" support, it would have been obvious to one of ordinary skill in the art at the time the invention was made to reasonably expect that the catalysts of Kobylinski et al. would function as an "electrocatalyst", absent the showing of convincing evidence to the contrary.

It is well settled that when a claimed composition appears to be substantially the same as a composition disclosed in the prior art, the burden is properly upon the applicant to prove by way of tangible evidence that the prior art composition does not necessarily possess characteristics attributed to the CLAIMED composition. In re Spada, 911 F.2d 705, 15 USPQ2d 1655 (Fed. Circ. 1990); In re Fitzgerald, 619 F.2d 67,

Art Unit: 1755

205 USPQ 594 (CCPA 1980); In re Swinehart, 439 F.2d 2109, 169 USPQ 226 (CCPA 1971).

Kobylinski et al. also do not disclose a mixed sulfide of ruthenium and cobalt, as instantly claimed.

Forquy et al. disclose a catalyst comprising ruthenium sulphide in either bulk or supported form, as well as a mixture of sulphides of ruthenium and at least one other transition metal selected from the group consisting of, inter alia, cobalt, wherein the proportion of metal other than ruthenium in the mixture is "up to 80 by weight". See col. 2, lines 22-38 of Forquy et al., which, at lines 27-30, also discloses active carbon as an exemplary support. Note that rhodium and palladium are also disclosed in Kobylinski et al.

For the preparation of supported catalysts, the support is impregnated with one or more metal salts (for example, chlorides), followed by direct sulphurization with a mixture of hydrogen and H₂S (2 to 50% by volume, preferably approximately 15%), or with H₂S diluted in an inert gas (for example, nitrogen) at a temperature between 300°C and 700°C.

In view of the similarities between Kobylinski et al. and Forquy et al., it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the teachings of Kobylinski et al. by substituting cobalt for either rhodium or palladium, as suggested by Forquy et al., and thereby obtain Applicants' claimed invention.

Allowable Subject Matter

6. Claims 41-44 are allowed.
7. Claim 45 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.
8. The following is a statement of reasons for the indication of allowable subject matter:

The prior art cited does not teach or suggest the step of sintering in a hydrogen atmosphere, followed by subsequent heating under inert atmosphere.

Conclusion


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Patricia L. Hailey whose telephone number is (571) 272-1369. The examiner can normally be reached on Mondays-Fridays, from 7:00 a.m. to 3:30 p.m.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jerry Lorengo, can be reached on (571) 272-1233. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group 1700 Receptionist, whose telephone number is (571) 272-1700.

Art Unit: 1755

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.


Patricia L. Hailey/plh
Examiner, Art Unit 1755
June 25, 2007


J.A. LORENZO
SUPERVISORY PATENT EXAMINER